

Données client

| | |
|------------------------------------|------------|
| Prénom | |
| Nom de famille | |
| Email | |
| Bulletin | Non abonné |
| IP d'enregistrement | |
| Date d'inscription à la newsletter | |
| Site Internet | |
| Siret | |
| SINGE | |
| Dernier changement de mot de passe | |
| actif | 1 |
| Supprimé | 0 |
| Profil créé | |
| Profil mis à jour | |
| Groupe | Customer |
| Le genre | |
| La langue | |

Ordres

| | | | |
|------------------|------------|----------------------|------------------------|
| Mode de paiement | Total payé | Adresse de livraison | Adresse de facturation |
|------------------|------------|----------------------|------------------------|

Adresses

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|---|-------------|-------------------------|---------------|-----------|--------|----------------|-----|
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Alabama | | United States / Alabama | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Italy / Agrigento | | Italy / Agrigento | Italy | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Sweden | | Sweden | Sweden | | | SE460810480001 | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Italy / Bolzano | | Italy / Bolzano | Italy | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|------------------------|---------------|-----------|--------|---------------|-----|
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Poland | | Poland | Poland | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States | | United States | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Alaska | | United States / Alaska | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Canada / New Brunswick | | Canada / New Brunswick | Canada | | | | |
| chex | dummy address | | Dummy address created by chex module | | Japan / Aichi | Japan | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|----------------------|-------------------|-----------|--|-------------|----------------------------|---------------|-----------|--------|---------------|-----|
| | | | to calculate shipping rates to Japan / Aichi | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Luxembourg | | Luxembourg | Luxembourg | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / New Mexico | | United States / New Mexico | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Japan / Tokyo | | Japan / Tokyo | Japan | | | | |
| Lady Dees Traumgarne | supplier supplier | | Gewerbestraße 2 | 99752 | Bleicherode | Germany | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate | | Germany | Germany | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|--------------------------|--------------------|-----------|--------|---------------|-----|
| | | | shipping rates to Germany | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Austria | | Austria | Austria | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to France | | France | France | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Russian Federation | | Russian Federation | Russian Federation | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Virginia | | United States / Virginia | United States | | | | |
| chex | dummy address | | Dummy address created by chex | | Georgia | Georgia | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|---|-------------|-------------------------|---------------|-----------|--------|---------------|-----|
| | | | module to calculate shipping rates to Georgia | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Canada / Alberta | | Canada / Alberta | Canada | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Canada / Ontario | | Canada / Ontario | Canada | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Switzerland | | Switzerland | Switzerland | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Indiana | | United States / Indiana | United States | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|---|-------------|-----------------------------|----------------|-----------|--------|---------------|-----|
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Denmark | | Denmark | Denmark | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Kansas | | United States / Kansas | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Mississippi | | United States / Mississippi | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Czech Republic | | Czech Republic | Czech Republic | | | | |
| chex | dummy address | | Dummy address created by chex module | | United States / Maine | United States | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|-----------------|----------------|-----------|--------|---------------|-----|
| | | | to calculate shipping rates to United States / Maine | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Sweden | | Sweden | Sweden | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United Kingdom | | United Kingdom | United Kingdom | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Finland | | Finland | Finland | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Netherlands | | Netherlands | Netherlands | | | | |
| chex | dummy address | | Dummy address | | United States / | United States | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|------------------------------|---------------|-----------|--------|---------------|-----|
| | | | created by chex module to calculate shipping rates to United States / Nevada | | Nevada | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Australia | | Australia | Australia | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Rhode Island | | United States / Rhode Island | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Italy / Avellino | | Italy / Avellino | Italy | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate | | Ireland | Ireland | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|---|-------------|--------------------------|---------------|-----------|--------|---------------|-----|
| | | | shipping rates to Ireland | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Slovakia | | Slovakia | Slovakia | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Japan / Oita | | Japan / Oita | Japan | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Belgium | | Belgium | Belgium | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Florida | | United States / Florida | United States | | | | |
| chex | dummy address | | Dummy address created by chex module | | United States / Nebraska | United States | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|---|-------------|-------------------------------|---------------|-----------|--------|---------------|-----|
| | | | to calculate shipping rates to United States / Nebraska | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Louisiana | | United States / Louisiana | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Wisconsin | | United States / Wisconsin | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Massachusetts | | United States / Massachusetts | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to | | Spain | Spain | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|------------------------------|---------------|-----------|--------|---------------|-----|
| | | | calculate shipping rates to Spain | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / South Dakota | | United States / South Dakota | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Texas | | United States / Texas | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Arizona | | United States / Arizona | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Missouri | | United States / Missouri | United States | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|--------------------------|---------------|-----------|--------|---------------|-----|
| | | | States / Missouri | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Georgia | | United States / Georgia | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to South Korea | | South Korea | South Korea | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Belarus | | Belarus | Belarus | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Maryland | | United States / Maryland | United States | | | | |
| chex | dummy address | | Dummy address created by chex | | Puerto Rico | Puerto Rico | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|----------------------------|---------------|-----------|--------|---------------|-----|
| | | | module to calculate shipping rates to Puerto Rico | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / New York | | United States / New York | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Syria | | Syria | Syria | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Turkey | | Turkey | Turkey | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / | | United States / California | United States | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|------------------------------|---------------|-----------|--------|---------------|-----|
| | | | California | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Singapore | | Singapore | Singapore | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Romania | | Romania | Romania | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Hungary | | Hungary | Hungary | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Pennsylvania | | United States / Pennsylvania | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to | | United States / Minnesota | United States | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|--------------------------|---------------|-----------|--------|---------------|-----|
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to New Zealand | | New Zealand | New Zealand | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Iowa | | United States / Iowa | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Ukraine | | Ukraine | Ukraine | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Austria | | Austria | Austria | | | ATU40910109 | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping | | United States / Illinois | United States | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|----------------------------|---------------|-----------|--------|---------------|-----|
| | | | rates to United States / Illinois | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Washington | | United States / Washington | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Oklahoma | | United States / Oklahoma | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Israel | | Israel | Israel | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Gibraltar | | Gibraltar | Gibraltar | | | | |
| chex | dummy | | Dummy | | United | United | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|--------------------------|---------------|-----------|--------|---------------|-----|
| | address | | address created by chex module to calculate shipping rates to United States / North Carolina | | States / North Carolina | States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Mexico / Aguascalientes | | Mexico / Aguascalientes | Mexico | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Italy / Firenze | | Italy / Firenze | Italy | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Kentucky | | United States / Kentucky | United States | | | | |
| chex | dummy address | | Dummy address created by chex | | Portugal | Portugal | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|------------------------|--------------------|-----------|--------|---------------|-----|
| | | | module to calculate shipping rates to Portugal | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Liechtenstein | | Liechtenstein | Liechtenstein | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Vatican City State | | Vatican City State | Vatican City State | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Ohio | | United States / Ohio | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Oregon | | United States / Oregon | United States | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|--------------------------|---------------|-----------|--------|---------------|-----|
| | | | States / Oregon | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Colorado | | United States / Colorado | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Montana | | United States / Montana | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Monaco | | Monaco | Monaco | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Michigan | | United States / Michigan | United States | | | | |
| chex | dummy address | | Dummy address created | | China | China | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|--------------------------------|-----------------------|-----------|--------|---------------|-----|
| | | | by chex module to calculate shipping rates to China | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Virgin Islands (U.S.) | | Virgin Islands (U.S.) | Virgin Islands (U.S.) | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to American Samoa | | American Samoa | American Samoa | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to United States / Aguascalientes | | United States / Aguascalientes | United States | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping | | Japan / Fukuoka | Japan | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|--|-------------|--------------|---------|-----------|--------|---------------|-----|
| | | | rates to Japan / Fukuoka | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Latvia | | Latvia | Latvia | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Italy / Pisa | | Italy / Pisa | Italy | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Egypt | | Egypt | Egypt | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Moldova | | Moldova | Moldova | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate | | Algeria | Algeria | | | | |

| Alias | prénom | Compagnie | Adresse | Code postal | Ville | Pays | Téléphone | Mobile | Numéro de TVA | DNI |
|-------|---------------|-----------|---|-------------|---------------|-------|-----------|--------|---------------|-----|
| | | | shipping rates to Algeria | | | | | | | |
| chex | dummy address | | Dummy address created by chex module to calculate shipping rates to Italy / Lecce | | Italy / Lecce | Italy | | | | |

Les liaisons

| Pages vues | Adresse IP | Temps passé sur la page | Date ajoutée | HTTP référent |
|------------|------------|-------------------------|--------------|---------------|
| | | | | |

Activités

| Rendez-vous amoureux | Assujettir | Les données |
|---------------------------------------|------------|-------------|
| <i>Aucune activité pour ce client</i> | | |